IPP RISK ASSESSMENT QUESTIONNAIRE

DO YOU DRINK FIZZY DRINKS DAILY?

DO YOU EAT SWEETS /CHOCOLATE / BUSCUITS DAILY?

DO YOU DRINK FRUIT JUICES / CORDIAL IN BETWEEN MEALS EVERY DAY?

DO YOU TAKE JUICE TO BED WITH YOU?

DO YOU REGULARLY TAKE MEDICATION CONTAINING SUGAR?

DO SIBLINGS HAVE ACTIVE CARIES?

IF YES TO ANY Questions

RISK POSITIVE

DO YOU USE FLUORIDATED TOOTHPASTE?

DO YOU BRUSH YOUR TEETH EVERY NIGHT BEFORE BED?

DO YOU BRUSH YOUR TEETH AT ONE OTHER TIME AS WELL AS BED TIME?

IF **NO** TO ANY Questions

RISK POSITIVE

CLINICAL ORAL HYGIENE ASSESSMENT AT O.H.A/O.H.R

USING THE MODIFIED PLAQUE SCORING


ANY PLAQUE SCORE 4 OR WORSE IN ANY SEXTANT



RISK POSITIVE

3.4.6 Assessing Plaque Levels

Assessing and recording levels of visible plaque at each examination, and sharing this information with the child and their parent/carer, will help reinforce the importance of effective toothbrushing. An example of a quick method of recording plaque levels, and presenting the information in terms the child will understand, is to give marks out of 10 as follows:



Record the worst score in each sextant, for example:

8/10	6/10	8/10
8/10	6/10	8/10

CARIES RISK GROUP CARE PATHWAY

CHILDREN IDENTIFED AS BEING RISK POSITIVE (THROUGH THE QUESTIONNAIRE AND/OR ORAL HYGINE ASSESSMENT) ARE REFERRED TO THE AGE SPECIFIC TWO APPOINTMENT IPP G.A CARE PATHWAY.



RISK POSITIVE ASSESSED CHILDREN WILL NORMALLY RECEIVE ONE CARE PATHWAY ONLY – THIS IS AT THE DISCRETION OF THE IPP PRACTICE. ONLY UNDER UNUSUAL CIRCUMSTANCES WOULD A CHILD IN THIS GROUP BE GIVEN MORE THAN ONE CYCLE OF RISK POSITIVE IPP.