

IPP RISK ASSESSMENT QUESTIONNAIRE

DO YOU DRINK FIZZY DRINKS DAILY?

DO YOU EAT SWEETS /CHOCOLATE / BUSCUITS DAILY?

DO YOU DRINK FRUIT JUICES/ CORDIAL DAILY?

DO YOU TAKE JUICE TO BED WITH YOU?

DO YOU REGULARLY TAKE MEDICATION CONTAINING SUGAR?

DO SIBLINGS HAVE ACTIVE CARIES?

IF YES TO ANY




RISK POSITIVE

DO YOU USE FLUORIDATED TOOTHPASTE?

DO YOU BRUSH YOUR TEETH EVERY NIGHT BEFORE BED?

DO YOU BRUSH YOUR TEETH AT ONE OTHER TIME AS WELL AS BED TIME?

IF **NO** TO ANY



RISK POSITIVE

CLINICAL ORAL HYGIENE ASSESSMENT AT O.H.A/ O.H.R

USING THE MODIFIED PLAQUE SCORING 4 OR LESS


ANY PLAQUE SCORE 4 OR WORSE IN ANY SEXTANT



RISK POSITIVE

3.4.6 Assessing Plaque Levels

Assessing and recording levels of visible plaque at each examination, and sharing this information with the child and their parent/carer, will help reinforce the importance of effective toothbrushing. An example of a quick method of recording plaque levels, and presenting the information in terms the child will understand, is to give marks out of 10 as follows:



Record the worst score in each sextant, for example:

8/10	6/10	8/10
8/10	6/10	8/10